



**CON SCHIENA APERTA**  
with open back panel



**CON SCHIENA CHIUSA**  
with close back panel































































## TECHNICAL DESCRIPTION

### DESKS

Available in two versions:

- desk with side and back panel upholstered in RENO eco-leather
- desk with side and back panel upholstered in RENO eco-leather and lateral extension.

Available sizes: Wd.2400 and Wd.2100 x Dpt.1050 mm

The extra thick 90 mm top is made in a self-supporting shell structure composed of:

>> upper lining and perimetral band in 18 mm thick MDF panel, with visible parts coated with wood effect 3d foil: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52.

>> lower lining and internal structural frame composed of 18 mm thick melamine faced panel.

The back panel and sides are made in 18 mm thick chipboard panels, sandwich joined for a total thickness of 90mm, upholstered on the visible part with RENO eco-leather in the colours ANTHRACITE 232 and GREY 237, supported by acrylic fibre batting, thickness 12 mm, decorated with linear stitching.

In the lower part, in contact with the floor, 10 mm thick black nylon slides are inserted, equipped with self-levelling felt pads.

The top and support structure are joined using support brackets in a die-cast zamak alloy, thickness 10 mm, painted in matt black, compatibly shaped with rounded edges and fastened using 8ma screws.

### EXTENSION AND PEDESTAL

Internal structure made with 18 mm thick chipboard panels in ANTHRACITE 55, finished along the perimeter with a 0.4 mm thick melamine edge in the same colour as the surface.

Plinth, front panels, doors, back panel, final sides and top made in 18 mm thick MDF fibreboard panels, with the visible part coated with wood effect 3d foil: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52.

The drawer structure is composed of lateral sides in 12 mm thick multi-layered wood and a 3 mm thick fibre bottom with a natural wood effect finish, which slide along metal guides with nylon bearings, equipped with drawer stop for opening and soft-close mechanism.

The doors and drawers are fitted with a push release mechanism.

The extension is to be completed with a top-access (supplied separately)

### TOP-ACCESS

Available in two types: standard or multi-purpose

- Standard top-access made in anodised aluminium extrusion, satin-finished black colour, with openable upper hatch door fitted with dust protection brush.

- Multi-purpose top-access complete with electrical wiring and data, equipped with electrical disappearing closing system.

Wiring consists in: no.2 Schuko sockets, no.2 RJ45 Cat.6 data sockets and no.2 USB ports, 2 meters long power cables.

Automatic protection system to prevent accidental closure of cover.

Border and cover are in black brushed painted steel.

### FRONT TERMINAL

Available sizes: Wd.1600 x Dpt.800 mm

The extra thick 90 mm top is made in a self-supporting shell structure composed of:

>> upper lining and perimetral band in 18 mm thick MDF panel, with visible part coated with wood effect 3d foil: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52.

>> lower lining and internal structural frame composed of 18 mm thick melamine faced panel.

The back panel and sides are made in 18 mm thick chipboard panels, sandwich joined for a total thickness of 90mm, upholstered on the visible part with RENO eco-leather in the colours ANTHRACITE 232 and GREY 237, supported by acrylic fibre batting, thickness 12 mm, decorated with linear stitching.

In the lower part, in contact with the floor, 10 mm thick black nylon slides are inserted, equipped with self-levelling felt pads.

The top and support structure are joined using support brackets in a die-cast zamak alloy, thickness 10 mm, painted in matt black, compatibly shaped with rounded edges and fastened using 8ma screws.

### MEETING TABLES

Available sizes: Wd.2100 and Wd.2800 x Dpt.1200 mm

The extra thick 90 mm top is made in a self-supporting shell structure composed of:

>> upper lining and perimetral band in 18 mm thick MDF panel, with visible part coated with wood effect 3d foil: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52.

>> lower lining and internal structural frame composed of 18 mm thick melamine faced panel.

The top is fitted with a flip-flop type top-access built-in to the top and in the same colour, fitted with a cable collection box in steel sheet metal.

The sides are made in 18 mm thick chipboard panels, sandwich joined for a total thickness of 90mm, upholstered on the visible part with RENO eco-leather in the colours ANTHRACITE 232 and GREY 237.

In the lower part, in contact with the floor, 10 mm thick black nylon slides are inserted, equipped with self-levelling felt pads.

The structure is completed by two connecting back panels, made in 18 mm thick melamine faced chipboard and available in the colours: ANTHRACITE 55 and STONE GREY 44, finished along the perimeter with a 0.4 mm melamine edge, in the same colour as the surface.

The top and support structure are joined using support brackets in a die-cast zamak alloy, thickness 10 mm, painted in matt black, compatibly shaped with rounded edges and fastened using 8ma screws.

### COFFEE TABLES

Available sizes: square Wd.800 x Dpt.800, rectangular Wd.1200 x Dpt.60 mm.

The top with total thickness 54 mm is made with a Folding system with 18 mm panels of reconstituted wood, with visible part coated with wood effect 3d foil: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52.

The sides are made in 18 mm thick chipboard panels, sandwich joined for a total thickness of 54mm, upholstered on the visible part with RENO eco-leather in the colours ANTHRACITE 232 and GREY 237. In the lower part, in contact with the floor, 10 mm thick black nylon slides are inserted. 10 mm.

The structure is completed by a connecting back panel, made in 18 mm thick melamine faced chipboard and available in the colours: ANTHRACITE 55 and STONE GREY 44, finished along the perimeter with a 0.4 mm melamine edge, in the same colour as the surface.

### TOTEM CABINETS

Structure made with 18 mm thick chipboard panels in ANTHRACITE 55 and STONE GREY 44, finished along the perimeter with a 0.4 mm thick melamine edge, in the same colour as the surface. On the base there are 4 black levelling feet.

On the two vertical sides, built-in profiles are inserted, with LED lights controlled by movement sensors.

The wooden drawers are composed of lateral sides in 12 mm thick multi-layered wood and 3 mm thick fibre bottom, with a natural wood effect finish.

The sliding guides are in metal with nylon bearings, equipped with drawer stop for opening and self-closing mechanism.

The glass planes are made in 8 mm thick tempered smoked float glass, complete with die-cast chrome-plated supports.

Drawer and door fronts are made from 18 mm thick panels of reconstituted wood, with visible part coated with wood effect 3d foil. GREY ELM 12, BALI

WALNUT 30, BROWN ASH 52. The doors and drawers are fitted with a push release mechanism. The large front finish panel, with total thickness 54 mm is shaped with a Folding system, made from an 18 mm thick panel of reconstituted wood, with visible part coated with wood effect 3d foil: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52.

### SUSPENDED CABINETS

Structure and shelving made using 18 mm thick chipboard panels, melamine faced and available in the colours: ANTHRACITE 55 and STONE GREY 44, finished along the perimeter with a 0.4 mm melamine edge, in the same colour as the surface.

Units fastened to wall using adjustable disappearing elements, each with a capacity of 60 kg.

The shelf is fitted with disappearing hardware, positionable at height at an interval of 32mm.

Doors are made with a Folding system on an 18 mm thick panel of reconstituted wood, with melamine faced internal side in the same colour as the structure, and the visible part coated in wood effect 3d foil in the colours: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52.

They are fitted with recess/handle above and below, with an enveloping "C" shape, vertical to the structure.

All hinges are the type with wing and metal plate with 3 regulation ranges and equipped with shock-absorbing soft-close system.

### VERTICAL PANEL FOR SUSPENDED CABINETS

Made in 18 mm thick chipboard panels, sandwich joined for a total thickness of 90mm, upholstered on the visible part with RENO eco-leather in the colours ANTHRACITE 232 and GREY 237.

Fitted with metal bracket for fastening to the wall. In the lower part, in contact with the floor, 10 mm thick black nylon slides are inserted with self-levelling felt pads.

### LOW & MEDIUM STORAGE CABINETS.

These are available in widths of 45 cm and 90 cm and in two different heights: low and medium.

Structure made using 18 mm thick chipboard panels (shelves 25 mm), melamine faced and available in the colours: ANTHRACITE 55 and STONE GREY 44, finished along the perimeter with a 0.4 mm melamine edge, in the same colour as the surface and fitted with levelling feet.

Doors are made in 18 mm panels deriving from wood, with visible part coated with wood effect 3d foil in the colours: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52. Low and medium wooden doors are fitted with a latch lock and shock-absorbing soft-close system.

Furniture compositions are always to be completed with top finish+final sides (supplied separately).

### TOP & FINAL SIDES PANELS:


These are made with a Folding system, with total thickness 50 mm. Material composed of 18 mm thick reconstituted wood panels, with the visible part coated in wood effect 3d foil in the colours: GREY ELM 12, BALI WALNUT 30, BROWN ASH 52.

### PACKAGING

All the components are disassembled and packed when supplied, and have paper triple type folding packaging, fillets for the perimetrical protection and for the fillings up, where needed. The corners are protected, where needed, through shock resistant edges protector. The packing closure occurs through sticky tape and welded nylon strap. Pedestals are assembled, when supplied, protected through polystyrene angle bars on the sides and packed using thermo-retractable polyethylene leave when provided.



STRUTTURE LEGNO  
wooden structure



### RENO (ECO-PELLE IGNIFUGA) Reno (Fire-retardant Eco-Leather)

per: FIANCHI E SCHIENE SCRIVANIE - SOTTOMANO - SPALLA VERTICALE  
for: side panels and back panels - desk pad - vertical panel

